

## **MATERIAL SAFETY DATA SHEET** 948-01 / 949-05 / 949-15 / 949-55

Canutec 1-613-996-6666 (24 hours)

#### CHEMICAL PRODUCT AND COMPANY INFORMATION 1.

Product identification : Product name : Synonyms :	948-01 / 949-05 / 949-15 / 949-55 AUTOMASK Liquid mask
Chemical family :	Mixture
Supplier / Manufacturer :	Auto-Chem Inc.
	33 de Lyon
	Repentigny, QC, Canada
	J5Z 4Z3
	Tel : 450-654-9292
	Fax : 450-654-0633
	www.autochem.com
Contact :	Jean Dagenais

#### 2. **COMPOSITION / INFORMATION ON INGREDIENTS**

Ingredient Isopropanol	CAS 67-63-0	Percentage 3 – 7	Exposure limits 200 ppm TWA-ACGIH 400 ppm STEL-ACGIH LD50 >4710 mg/kg, rat, oral LD50 > 12870 mg/kg, lapin, dermal
1,2,3-Propanetriol Alcohol vinyl	56-81-5	3 – 7	LC50 12000 ppm, 8 heures, rat, inhalation LD50 2000 mg/kg, rat, oral
polymers + copolyme	rs9002-89-5 25213-24-5 54626-91-4	3 – 7	LD50 11000 mg/kg, rat, oral

#### HAZARDS IDENTIFICATION 3.

Potential acute health effects :

Eye contact :	Direct eye contact may cause temporary discomfort with mild redness and dryness.
Skin contact :	Not a skin irritant.
Inhalation :	Exposure to high concentrations of vapours may cause irritation of the respiratory
	tract, headaches, dizziness, nausea, loss of coordination and depression of the central nervous system.
. e	
Ingestion :	Irritation of the upper gastro-intestinal tract. The product may cause nausea,
	headaches, dizziness, fatigue, depression of the central nervous system.

Potential chronic health effects :

Eye contact :	None known.
Skin contact :	None known.
Inhalation :	None known.
Ingestion :	None known.

#### FIRST AID MEASURES 4.

Eyes :	Rinse immediately with water 15 to 20 minutes. Remove contact lenses. Obtain medical attention if irritation develops.
Skin :	In case of direct contact, rinse with running water 15 to 20 minutes. Remove contaminated clothing and wash with soap and water.
Inhalation :	Remove person to fresh air. In case of respiratory failure, give artificial respiration. In case of respiratory distress, obtain medical attention.
Ingestion :	Do not induce vomiting. Never give anything by mouth to an unconscious or convulsing person. In case of respiratory or cardiac arrest, start cardio-pulmonary resuscitation and obtain medical attention.

### 5. FIRE FIGHTING MEASURES

 Flash point :
 Non flammable

 Auto-ignition temperature :
 Not determined

 Flammability limits – air (%) :
 Not determined

 Extinguishing media :
 Carbon dioxide (CO2), water spray, according to the nature of the fire. Dry chemical powder or water can be used to cool containers.

 Protective equipment :
 Fire fighters should wear full protective clothing, including self contained breathing equipment.

 Hazardous combustion materials :
 Carbon monoxide, carbon dioxide, acrolein.

### 6. ACCIDENTAL RELEASE MEASURES

Wear appropriate protection equipment.

- Small spill : Collect for elimination. Clean up remaining materials from spill with suitable absorbent.
- Large spill : Prevent entry into sewers or streams. Dike if needed. Clean up with suitable absorbent, collect and store in an appropriate container. Clean surfaces with water and soap.

## 7. HANDLING AND STORAGE

Handling : Safety glasses and gloves.

Storage : Keep container closed. Do not freeze.

### 8. EXPOSURE CONTROL / PERSONAL PROTECTION

Engineering controls : Local ventilation of work area is recommended.

Personal protection equipment for routine handling :

Eye :Use adequate protection – safety glasses at a minimum.Skin :Long sleeve clothes.Gloves :Latex, nitrile, rubber, PVC.Inhalation :Mask with approved organic vapour cartridge when product is used in a restricted area.

Personal protection equipment for spills :

MSDS 948-01 / 949-05 / 949-15 / 949-55 AUTOMASK Liquid mask

Eyes :	Use adequate protection – safety glasses at a minimum.
Skin :	Long sleeve clothes.
Gloves :	Latex, nitrile, rubber, PVC.
Inhalation :	Mask with approved organic vapour cartridge.

Note : These precautions are for room temperature handling. Use at elevated temperatures of aerosol spray applications may require added protection.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Coulour : Odour :	Liquid Colourless Pleasant
pH @ 1% :	7 to 8
Relative density (g/cm3) :	Not available
Boiling point :	100 C
Freezing point :	0 C
Vapour pressure :	Not available
Volatiles (weight) :	90.5 %
Solubility (water) :	Soluble
VOC (g/litre) :	< 60
Viscosity :	Not available

## 10. STABILITY AND REACTIVITY

Chemical stability :Stable.Hazardous polymerization :No.Conditions to avoid :None known.Materials to avoid :Strong acids.Dangerous decomposition products : Carbon monoxide, carbon dioxide, acrolein.

## 11. TOXICOLOGICAL INFORMATION

Ingredient	CAS	Percentage	Exposure limits
Isopropanol	67-63-0	3 – 7	200 ppm TWA-ACGIH
			400 ppm STEL-ACGIH
			LD50 >4710 mg/kg, rat, oral
			LD50 > 12870 mg/kg, lapin, dermal
			LC50 12000 ppm, 8 heures, rat, inhalation
1,2,3-Propanetriol	56-81-5	3 – 7	LD50 2000 mg/kg, rat, oral
Alcohol vinyl			
polymers + copolyme	rs9002-89-5	3 – 7	LD50 11000 mg/kg, rat, oral
	25213-24-5		
	54626-91-4		

## 12. ECOLOGICAL INFORMATION

No data available.

### 13. DISPOSAL CONSIDERATIONS

Waste disposal method : Contaminated packaging : Dispose according to municipal, provincial and federal regulations. According to municipal, provincial and federal regulations.

MSDS 948-01 / 949-05 / 949-15 / 949-55 AUTOMASK Liquid mask

### 14. TRANSPORT INFORMATION

Not regulated for transport.

## 15. REGULATORY INFORMATION

WHIMS : Not regulated under WHIMS.

- DSL : All components of this product are either on the Domestic Substance List (DSL), the Non-Domestic Substance List (NDSL) or exempt.
- TSCA : U.S. TSCA Inventory Status : All components of this product are either on the Toxic Substances Control Act Inventory List or exempt.

## 16. OTHER INFORMATION

Prepared by : Auto-Chem Inc.

Date : Sept. 2015

#### Notice to reader :

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Auto-Chem makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Auto-Chem's control and therefore users are responsible to verify this data under their own operation conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.