#### **SAFETY DATA SHEET**



# 1 – IDENTIFICATION

IDENTIFIER	AQUA FAB I
PRODUCT CODE	8021, 8222, 8223
RECOMMENDED USE	Fabric and vinyl cleaner.
RESTRICTIONS ON USE	Do no mix with other products.
SUPPLIER / MANUFACTURER	AUTO-CHEM INC
	33 de Lyon
	Repentigny, QC
	J5Z 4Z3
	450-654-9292
	www.autochem.com
EMERGENCY TELEPHONE	CANUTEC 1-613-996-6666 (24 hours)

## 2 - HAZARD IDENTIFICATION

CLASSIFICATION	Skin irritation 3 Eye irritation 2A	
LABEL ELEMENTS	<b>(!)</b>	
SIGNAL WORD	WARNING	
HAZARD STATEMENT	H316 H319	Causes mild skin irritation. Causes serious eye irritation.
PRECAUTIONARY STATEMENTS – PREVENTION	P280	Wear protective gloves/protective clothing/eye protection/face protection.
PRECAUTIONARY STATEMENTS – RESPONSE	P332+P313	If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several
	P305+P351+P338	minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+P313	If eye irritation persists: Get medical advice/attention.
PRECAUTIONARY STATEMENTS – STORAGE	P233	Keep container tightly closed.
PRECAUTIONARY STATEMENTS - ELIMINATION	P501	Dispose contents/containers according to municipal, provincial and federal regulations.
OTHER HAZARDS	Not applicable.	

# 3 – COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME	C.A.S	CONCENTRATION

2-Butoxyethanol	111-76-2	1-5*
Isopropyl alcohol	67-63-0	1-5*
Sodium metasilicate	6834-92-0	1-5*
Sodium olefin sulfonate (C14-C16)	68439-57-6	1-5*
Sodium mixed C8 aphocarboxylates	N/A	0.5 – 1.5 *

<sup>\*</sup> TRADE SECRET STATEMENT: The exact concentration of composition has been withheld as a trade secret.

#### 4 – FIRST AID MEASURES

ROUTE OF EXPOSURE	Inhalation, eyes, skin, ingestion

INHALATION	IF INHALED: remover person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CONTROL CENTER or physician.
DERMAL	IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
OCULAR	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
ORAL	NEVER give anything orally if victim is losing consciousness, is unconscious or having convulsions. Rinse mouth with water thoroughly. DO NOT INDUCE VOMITING. Ask victim to drink two glasses of water. If vomiting occurs naturally, lean victim forward to reduce risks of aspiration. Continue to drink water. Obtain medical care.
NOTE TO PHYSICIAN	Specific treatment: Treat symptomatically.

#### **5 – FIRE-FIGHTING MEASURES**

SUITABLE EXTINGUISHING MEDIA	Use foam, CO2, water spray, depending on surrounding conditions.
UNSUITABLE EXTINGUISHING MEDIA	Direct water jet may cause an important foam production.
SPECIFIC HAZARDS	Carbon oxides, sulphur oxides, nitrogen oxides, acrid smoke.
PROTECTIVE EQUIPMENT	Fire-fighters must wear protective equipment and NIOSH approved self-contained breathing apparatus.
PRECAUTIONS	Do not let water run-off reach sewers, ditches or waterways.

#### **6 – ACCIDENTAL RELASE MEASURES**

PROTECTIVE	Wear appropriate respiratory equipment (See Section 8). Avoid direct contact with product.
EQUIPMENT	Remove non-essential personnel.
CONTAINMENT	Ventilate spill area. Stop spill if safe to do so. Contain and absorb with an inert absorbing material for
AND CLEAN UP	future disposal (See Section 13). Prevent spill from entering sewers or waterways. Retain water runoff if applicable. Inform proper authorities if necessary.
ENVIRONMENTAL	Avoid entering sewers, waterways or restricted areas. Eliminate according to municipal, provincial
PRECAUTIONS	and federal regulations.

## 7 – HANDLING AND STORAGE

HANDLING	Containers must be identified correctly. Handle in a well ventilated area. Avoid breathing dust, vapours or mists. Avoid contact with eyes, skin and clothes. Keep containers closed when not in use. Empty containers may contain residues and must be handled as hazardous waste. Maintain good personal hygiene before eating, drinking or smoking. Do not eat, drink or smoke while using the product or in proximity. Wash contaminated clothing before reuse.
STORAGE	Store in a well-ventilated place. Keep cool. Store away from incompatible materials. Keep containers closed.
INCOMPATIBLE MATERIALS	Strong oxidizing agents, acids.

# 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

CHEMICAL NAME	C.A.S.	SOURCE	VALUE
2-Butoxyethanol	111-76-2	ACGIH	TLV 0.2 mg/m3
		OSHA	TWA 1 mg/m3
		NIOSH	TWA 1 mg/m3
		NIOSH	IDLH 15 mg/m3
		CSST	TWA 1 mg/m3
		CSST	STEL 3 mg/m3
Isopropyl alcohol	67-63-0	ACGIH	TWA 200 ppm
		ACGIH	STEL 400 ppm
		OSHA	TWA 400 ppm (980 mg/m3)
		OSHA	STEL 500 ppm (1225 mg/m3)
		NIOSH	TWA 400 ppm (980 mg/m3)
		NIOSH	STEL 500 ppm (1225 mg/m3)
		NIOSH	IDLH 2000 ppm
		CSST	TWA 400 ppm (980 mg/m3)
		CSST	STEL 500 ppm (1225 mg/m3)
Sodium metasilicate	6834-92-0		No established limits.
Sodium olefin sulfonate (C14-C16)	68439-57-6		No established limits.
Sodium mixed C8 aphocarboxylates	N/A		No established limits.

ENGINEERING CONTROLS	Use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels to an acceptable level.
RESPIRATORY PROTECTION	Maintain atmospheric concentrations below exposure limits. If exposure exceeds occupational exposure limits, use an appropriate NIOSH approved respirator. In case of spill or leak resulting in unknown concentration, use a NIOSH approved supplied air respirator.
PROTECTIVE EQUIPMENT AND CLOTHING	Wear chemical / impermeable gloves or other protective clothing to prevent repeated or continuous contact with the skin during handling and usage. Wear goggles to prevent mist, vapours or dust to contact eyes. Insure that eyewash stations, showers and cleaning stations are near to work station.
OCULAR PROTECTION	Chemical goggles; also wear a face shield if splashing hazard exists.
GENERAL HYGIENE RECOMMENDATIONS	Ensure that eyewash stations and safety showers are proximal to the work-station location. Avoid production of high concentrations of dust, vapours or mists. Avoid contact with skin and eyes. Avoid breathing dust, vapours or mists. Never eat, drink or smoke near work stations. Good hygiene is recommended after using this product. Clean clothing before reuse.

## 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid, yellow, transparent.
ODOUR	Citrus.
ODOUR TRESHOLD	Not available.
рН	11.0
MELTING / FREEZING POINT	No available.
INITIAL BOILING POINT	Not available.
FLASH POINT	Not applicable.
EVAPORATION RATE	Not available.
FLAMMABILITY	Not flammable.
LOWER FLAMMABLE/EXPLOVISE LIMIT	Not applicable.
UPPER FLAMMABLE/EXPLOSIVE LIMIT	Not applicable.
VAPOUR PRESSURE	Not available.
VAPOUR DENSITY	Not available.
RELATIVE DENSITY	1.03
SOLUBILITY (in water)	Soluble.
PARTITION COEFFICIENT (n-octanol/water)	Not available.
AUTO-IGNITION TEMPERATURE	Not available.
DECOMPOSITION TEMPERATURE	Not available.
VOC	41.2 g/L (0.040 Kg/Kg)
VISCOSITY	< 100 cPs

## 10 - STABILITY AND REACTIVITY

REACTIVITY	Stable under recommended usage.
CHEMICAL STABILITY	Stable under normal usage conditions.
HAZARDOUS REACTIONS	Polymerization will not occur.
CONDITIONS TO AVOID	Incompatible materials.
INCOMPATIBLE MATERIALS	Strong oxidizing agents, acids.
HAZARDOUS DECOMPOSITION PRODUCTS	Carbon oxides, sulphur oxides, nitrogen oxides.
ADDITIONAL INFORMATION	None.

## 11 – TOXICOLOGICAL INFORMATION

ACUTE EFFECTS	
INHALATION	May irritate respiratory tract if sprayed.
DERMAL	May cause a slight skin irritation. Redness, itching.
OCULAR	May cause serious eye irritation. Redness, pain, tearing.
ORAL	Irritation of mouth and stomach mucous membranes. Nausea, vomiting, gastric

	distress.			
CHRONIC EFFECTS				
INHALATION	No data.			
DERMAL	No data.	No data.		
OCULAR	No data.	No data.		
ORAL	No data.			
ADDITIONAL INFORMATION				
CARCINOGENIC EFFECTS (IARC)	2-Butoxyethanol	111-76-2	Group 3: Not classifiable as to its carcinogenicity to humans.	
	Isopropyl alcohol	67-63-0	Group 3: Not classifiable as to its carcinogenicity to humans.	
MUTAGENIC EFFECTS	No data.			
TERATOGEN EFFECTS	No data.			
REPRODUCTION	No data.			
SENSIBILISATION	No data.			
TARGET ORGANS	No data.			
AGGRAVATED CONDITIONS	No data.			
SYNERGISTIC SUBSTANCES	No data.			

CHEMICAL NAME	C.A.S.	LD50 ORAL mg/kg	LD50 DERMAL mg/kg	LC50 INHALATION
2-Butoxyethanol	111-76-2	560, rat	400, rabbit	450 ppm. 4 h, rat
Isopropyl alcohol	67-63-0	5045, rat	12800, rabbit	16970 ppm, 4h, rat
Sodium metasilicate	6834-92-0	1152 – 1349, rat	>5000, rat	>2060 mg/m3, rat
Sodium olefin sulfonate (C14-C16)	68439-57-6	>2000, rat	>2000, rabbit	No data.
Sodium mixed C8 aphocarboxylates	N/A	27459, rat	No data.	No data.

## 12 – ECOLOGICAL INFORMATION

2-Butoxyéthanol	111-76-2
CL50 1490 mg/L, 96h, statique	Lepomis macrochirus
CL50 2950 mg/L, 96h	Lepomis macrochirus
CL50 1474 mg/L, 96 h, statique	Oncorhynchus mykiss
CE50 1800 mg/L, 48 h, statique	Daphnia magna
CE50 977 mg/L, 72 h, statique	Pseudokirchniella subcapitata

Alcool isopropylique	67-63-0
CL50 9640 mg/L, 96h, dynamique	Pimephales promelas
CL50 11130 mg/L, 96h, statique	Pimephales promelas

CL50 >140 mg/L, 96h	Lepomis macrochirus
CE50 >1000 mg/L, 96h	Desmodesmus subspicatus
CE50 >1000 mg/L, 72h	Desmodesmus subspicatus

Sodium metasilicate	6834-92-0
LC50 210 mg/L, 96h	Danio rerio
EC501 1700 mg/L, 48h	Daphnia magna

Sodium olefin sulfonate (C14-C16)	68439-57-6
EC50 45 mg/L, 72h	Algae
ED50 4.48 mg/L, 48h	Daphnia
LC50 2.5 – 5 mg/L, 96h	Fish
ED50 4.14 – 4.95 mg/L, 48h	Ceriodaphnia dubia

Sodium mixed C8 aphocarboxylates	N/A
EC50 >100 mg/L, 48h	Daphnia magna

PERSISTENCE AND DEGRADABILITY	Not available.
BIOACCUMULATIVE POTENTIAL	Not available.
SOIL MOBILITY	Not available.
OTHER ADVERSE EFFECTS	Not available.
ADDITIONAL INFORMATION	Do not let material or fire-fighting water run-off enter sewers or waterways. Obstruct drains and ditches. Affected areas must be cleaned and restored to their original conditions or to the satisfaction of the authorities.

## 13 – DISPOSAL CONSIDERATIONS

DISPOSAL METHOD	Disposal of all wastes must be done in accordance with municipal, provincial and federal regulations.
CONTAMINATED PACKAGING	Empty containers should be recycled or disposed of through an approved waste management facility.

## 14 – TRANSPORT INFORMATION

TRANSPORT OF DANGEROUS GOODS (CANADA)

Not regulated for transport.

MARINE POLLUTANT	No.	
SPECIAL PRECAUTIONS	None known.	

# 15 - REGULATORY INFORMATION

CANADA	
СЕРА	All components of this product are either listed or exempt from listing on the Domestic substances List (DSL).
USA	
TSCA	All components of this product are either listed or exempt from listing on the Toxic Substances Control Act (TSCA) Inventory.

#### **16 – OTHER INFORMATION**

VERSION	1.0
DATE	17 May 2017
PREPARED BY	AUTO-CHEM INC
ABBRÉVIATIONS	ABBREVIATIONS
ACGIH	American Conference of Governmental Industrial Hygienists
AIHA	American Industrial Hygiene Association
CAS	Chemical Abstract Service
CEPA	Canadian Environmental Protection Act
CIRC	Centre International pour la Recherche sur le Cancer
CL / LC	Concentration létale /Lethal concentration
DL/LD	Dose létale / Lethal dose
CE / EC	Concentration efficace / Effective concentration
IARC	International Agency for Research on Cancer
LCPE	Loi Canadienne sur la Protection de l'Environnement
LES/NDSL	Liste extérieure des substances / Non domestic substances list
LIS/DSL	Liste intérieure des substances / Domestic substances list
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program (U.S.A.)
OSHA	Occupational Safety and Health Administration (U.S.A.)
PEL	Permissible Exposure Limit
SIMDUT	Système d'information sur les matières dangereuses utilisées au travail
STEL	Short-term Exposure Limit
STOT	Specific target organ toxicity
TCOC	Toxicité pour certains organs cibles
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
USEPA	United States Environmental Protection Agency
VECD	Valeur exposition courte durée
VEMP	Valeur exposition moyenne pondérée
WHMIS	Workplace Hazardous Materials Information System
NOTICE TO READER	All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Auto-Chem makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Auto-Chem's control and therefore users are responsible to verify this data under their own operation conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling and disposal of the product or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process