



1 – IDENTIFICATION

IDENTIFIER	UNIVERSAL CLEANER & DEGREASER
PRODUCT CODE	TCS-830-032, TCS-831-01, TCS-832-05, TCS-833-55
RECOMMENDED USE	Degreaser
RESTRICTIONS ON USE	Do not mix with other products.
SUPPLIER / MANUFACTURER	AUTO-CHEM INC
	33 de Lyon
	Repentigny, QC
	J5Z 4Z3
	450-654-9292
	www.autochem.com
EMERGENCY TELEPHONE	CANUTEC 1-613-996-6666 (24 hours)

2 – HAZARD IDENTIFICATION

CLASSIFICATION	Corrosive to metals, 1			
	Skin corrosion, 1			
	Serious eye damage, 1			
	Specific target organ toxicity, single exposure; Respiratory tract irritation, 3			
LABEL ELEMENTS				
SIGNAL WORD	DANGER			
HAZARD STATEMENT	H290	May be corrosive to metals.		
	H314	Causes sever skin burns and eye damage.		
	H318	Causes serious eye damage.		
	H335	May cause respiratory irritation.		
PRECAUTIONARY STATEMENTS -	P234	Keep only in original packaging.		
PREVENTION	P260	Do not breathe dust, fume, gas, mist, vapours, spray.		
	P264	Wash hands thoroughly after handling.		
	P280	Wear protective gloves, protective clothing, eye/face protection.		
	P271	Use only outdoors or in a well-ventilated area.		
PRECAUTIONARY STATEMENTS -	P390	Absorb spillage to prevent material-damage.		
RESPONSE	P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.		
	P303+P361+P353	IF ON SKIN: Take off immediately all contaminated		
		clothing. Rinse skin with water or shower.		
	P363	Wash contaminated clothing before reuse.		
	P304+P340	IF INHALED: Remove person to fresh air and keep		
		comfortable for breathing.		
	P310	Immediately call a POISON CENTER or doctor.		

	P321	Specific treatment: Treat as chemical burns.
	P305+P351+P338	IF IN EYES: Rinse cautiously wit water for several
		minutes. Remove contact lenses, if present and easy to
		do. Continue rinsing.
	P312	Call a POISON CENTER or doctor if you feel unwell.
PRECAUTIONARY STATEMENTS –	P406	Store in a corrosion resistant container or container
STORAGE		with a corrosion resistant inner liner.
	P405	Store locked up.
	P403-P233	Store in a well-ventilated place. Keep container tightly
		closed.
PRECAUTIONARY STATEMENTS -	P501	Dispose contents/containers according to municipal,
ELIMINATION		provincial and federal regulations.
OTHER HAZARDS	Not applicable	

3 – COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME	C.A.S	CONCENTRATION
Sodium metasilicate	6834-92-0	3 – 7 *
2-butoxyethanol	111-76-2	1-5*
EDTA tetrasodium	64-02-8	1-5*
Alcohols, C8-C10, ethoxylated, propoxylated	68603-25-8	1-5*

^{*} TRADE SECRET STATEMENT: The exact concentration of composition has been withheld as a trade secret.

4 – FIRST AID MEASURES

ROUTE OF EXPOSURE	Inhalation, eyes, skin, ingestion
-------------------	-----------------------------------

INHALATION	IF INHALED: remover person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CONTROL CENTER or physician.
DERMAL	IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
OCULAR	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
ORAL	NEVER give anything orally if victim is losing consciousness, is unconscious or having convulsions. Rinse mouth with water thoroughly. DO NOT INDUCE VOMITING. Ask victim to drink two glasses of water. If vomiting occurs naturally, lean victim forward to reduce risks of aspiration. Continue to drink water. Obtain medical care.
NOTE TO PHYSICIAN	Specific treatment: treat as chemical burns.

5 – FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA	Chemical foam, water, carbon dioxide, according to fire conditions.
UNSUITABLE EXTINGUISHING MEDIA	Water jet directly on the product may cause formation of foam.
SPECIFIC HAZARDS	Contact with metals may generate hydrogen, which is a flammable gas.

PROTECTIVE EQUIPMENT	Fire-fighters must wear protective equipment and NIOSH approved self-contained breathing apparatus.
PRECAUTIONS	Do not let water run-off reach sewers, ditches or waterways.

6 – ACCIDENTAL RELASE MEASURES

PROTECTIVE EQUIPMENT	Wear appropriate respiratory equipment (See Section 8). Avoid direct contact with product. Remove non-essential personnel.
CONTAINMENT AND CLEAN UP	Ventilate spill area. Stop spill if safe to do so. Contain and absorb with an inert absorbing material for future disposal (See Section 13). Prevent spill from entering sewers or waterways. Retain water runoff if applicable. Inform proper authorities if necessary.
ENVIRONMENTAL PRECAUTIONS	Avoid entering sewers, waterways or restricted areas. Eliminate according to municipal, provincial and federal regulations.

7 – HANDLING AND STORAGE

HANDLING	Containers must be identified correctly. Handle in a well ventilated area. Avoid breathing dust, vapours or mists. Avoid contact with eyes, skin and clothes. Keep containers closed when not in use. Empty containers may contain residues and must be handled as hazardous waste. Maintain good personal hygiene before eating, drinking or smoking. Do not eat, drink or smoke while using the product or in proximity. Wash contaminated clothing before reuse.
STORAGE	Store in a well-ventilated place. Keep cool. Store away from incompatible materials. Keep containers closed.
INCOMPATIBLE MATERIALS	Oxidizing agents, acids, aluminum, zinc, tin and alloys, sugars.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

CHEMICAL NAME	C.A.S.	SOURCE	VALUE
Sodium metasilicate	6834-92-0	UKEH40	TWA 2 mg/m3, 15 min.
2-butoxyethanol	111-76-2	CSST ACGIH NIOSH-REL	TWA 20 ppm (97 mg/m3) TWA 20 ppm TWA 5ppm (24 mg/m3)
EDTA tetrasodium	64-02-8	OSHA OSHA ACGIH ACGIH	PEL 5 mg/m3, respirable TWA 15 mg/m3, total PEL 3 mg/m3, respirable PEL 10 mg/m3, total
Alcohols, C8-C10, ethoxylated, propoxylated	68603-25-8		No established limits.

ENGINEERING CONTROLS	Use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels to an acceptable level.
RESPIRATORY PROTECTION	Maintain atmospheric concentrations below exposure limits. If exposure exceeds occupational exposure limits, use an appropriate NIOSH approved respirator. In case of spill or leak resulting in unknown concentration, use a NIOSH approved supplied air respirator.
PROTECTIVE	Wear chemical / impermeable gloves or other protective clothing to prevent repeated or

EQUIPMENT AND CLOTHING	continuous contact with the skin during handling and usage. Wear goggles to prevent mist, vapours or dust to contact eyes. Insure that eyewash stations, showers and cleaning stations are near to work station.
OCULAR PROTECTION	Chemical goggles; also wear a face shield if splashing hazard exists.
GENERAL HYGIENE RECOMMENDATIONS	Ensure that eyewash stations and safety showers are proximal to the work-station location. Avoid production of high concentrations of dust, vapours or mists. Avoid contact with skin and eyes. Avoid breathing dust, vapours or mists. Never eat, drink or smoke near work stations. Good hygiene is recommended after using this product. Clean clothing before reuse.

9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid, colourless, transparent.
ODOUR	Acrid.
ODOUR TRESHOLD	Not available.
рН	13.43
MELTING / FREEZING POINT	0°C
INITIAL BOILING POINT	100°C
FLASH POINT	Not applicable.
EVAPORATION RATE	Not available.
FLAMMABILITY	Not flammable.
LOWER FLAMMABLE/EXPLOVISE LIMIT	Not applicable.
UPPER FLAMMABLE/EXPLOSIVE LIMIT	Not applicable.
VAPOUR PRESSURE	Not available.
VAPOUR DENSITY	Not available.
RELATIVE DENSITY	1.06
SOLUBILITY (in water)	Soluble.
PARTITION COEFFICIENT (n-octanol/water)	Not available.
AUTO-IGNITION TEMPERATURE	Not available.
DECOMPOSITION TEMPERATURE	Not available.
VOC (w/w)	47.0 g/L
VISCOSITY (100 RPM, Spindle 1)	19.5 cps

10 - STABILITY AND REACTIVITY

REACTIVITY	Stable under recommended usage.
CHEMICAL STABILITY	Stable under normal usage conditions.
HAZARDOUS REACTIONS	Polymerization will not occur.
CONDITIONS TO AVOID	Contact with incompatible materials.
INCOMPATIBLE MATERIALS	Oxidizing agents, acids, aluminum, zinc, tin and alloys, sugars.
HAZARDOUS DECOMPOSITION PRODUCTS	Carbon oxides, nitrogen oxides, metal oxides, hydrogen.
ADDITIONAL INFORMATION	None.

11 – TOXICOLOGICAL INFORMATION

ACUTE EFFECTS				
INHALATION	May cause irritation of respiratory tract.			
DERMAL	May cause chemical burns, redness, skin irritation.			
OCULAR	May cause eye damages on direct contact. Vapours may cause eye irritation.			
ORAL	May cause burns of	the gastric tra	act.	
CHRONIC EFFECTS				
INHALATION	No data.			
DERMAL	No data.			
OCULAR	Overexposure may cause irreversible damage to cornea.			
ORAL	No data.			
ADDITIONAL INFORMATION				
CARCINOGENIC EFFECTS (IARC)	2-butoxyethanol	111-76-2	Group 3: Not classifiable as to its carcinogenicity to humans	
MUTAGENIC EFFECTS	No data.			
TERATOGEN EFFECTS	No data.			
REPRODUCTION	No data.			
SENSIBILISATION	No data.			
TARGET ORGANS	No data.			
AGGRAVATED CONDITIONS	No data.			
SYNERGISTIC SUBSTANCES	No data.			

CHEMICAL NAME	C.A.S.	LD50 ORAL mg/kg	LD50 DERMAL mg/kg	LC50 INHALATION
Sodium metasilicate	6834-92-0	1152 – 1349, rat	>5000, rat	>2.06, rat
2-butoxyethanol	111-76-2	560, rat	400, lapin	450 ppm 4 h, rat
EDTA tetrasodium	64-02-8	1658, rat	>5000, rabbit	No data.
Alcohols, C8-C10, ethoxylated, propoxylated	68603-25-8	No data.	No data.	No data.

12 – ECOLOGICAL INFORMATION

Sodium metasilicate	6834-92-0
LC50 210 mg/L, 96h	Brachydanio rerio
EC50 1700 mg/L, 48h	Daphnia magna

2-butoxyethanol	111-76-2
LC50 1474 mg/L, 96 h, statique	Oncorhynchus mykiss
EC50 1800 mg/L, 48 h, statique	Daphnia magna
EC50 977 mg/L, 72 h, statique	Pseudokirchniella subcapitata

EDTA tetrasodium	64-02-8	
LC50 41 mg/L	Lepomis macrochirus	
LC50 59.8 mg/L	Pimephales promelas	
EC50 1.01 mg/L	Scenedesmus subspicatus	

PERSISTENCE AND DEGRADABILITY	Not available.
BIOACCUMULATIVE POTENTIAL	Not available.
SOIL MOBILITY	Not available.
OTHER ADVERSE EFFECTS	Not available.
ADDITIONAL INFORMATION	Do not let material or fire-fighting water run-off enter sewers or waterways. Obstruct drains and ditches. Affected areas must be cleaned and restored to their original conditions or to the satisfaction of the authorities.

13 – DISPOSAL CONSIDERATIONS

DISPOSAL METHOD	Disposal of all wastes must be done in accordance with municipal, provincial and federal regulations.
CONTAMINATED PACKAGING	Empty containers should be recycled or disposed of through an approved waste management facility.

14 – TRANSPORT INFORMATION

TRANSPORT	OF DANGEROUS GOODS (CANADA)			
UN NUMBER	PROPER SHIPPING NAME	CLASS	PACKING GROUP	PLACARD
UN1760	CORROSIVE LIQUID N.O.S. (Sodium metasilicate)	8	III	
LIMITED QUANTITY: 5 L or 5 Kg			>	

MARINE POLLUTANT	No.
SPECIAL PRECAUTIONS	Keep away from incompatible materials.

15 - REGULATORY INFORMATION

CANADA	
СЕРА	All components of this product are either listed or exempt from listing on the Domestic substances List (DSL).
USA	
TSCA	All components of this product are either listed or exempt from listing on the Toxic Substances Control Act (TSCA) Inventory.

16 – OTHER INFORMATION

VERSION	3.0
DATE	13 November 2018
PREPARED BY	AUTO-CHEM INC
ABBRÉVIATIONS	ABBREVIATIONS
ACGIH	American Conference of Governmental Industrial Hygienists
AIHA	American Industrial Hygiene Association
CAS	Chemical Abstract Service
CEPA	Canadian Environmental Protection Act
CIRC	Centre International pour la Recherche sur le Cancer
CL / LC	Concentration létale /Lethal concentration
DL/LD	Dose létale / Lethal dose
CE / EC	Concentration efficace / Effective concentration
IARC	International Agency for Research on Cancer
LCPE	Loi Canadienne sur la Protection de l'Environnement
LES/NDSL	Liste extérieure des substances / Non domestic substances list
LIS/DSL	Liste intérieure des substances / Domestic substances list
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program (U.S.A.)
OSHA	Occupational Safety and Health Administration (U.S.A.)
PEL	Permissible Exposure Limit
SIMDUT	Système d'information sur les matières dangereuses utilisées au travail
STEL	Short-term Exposure Limit
STOT	Specific target organ toxicity
TCOC	Toxicité pour certains organs cibles
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
USEPA	United States Environmental Protection Agency
VECD	Valeur exposition courte durée
VEMP	Valeur exposition moyenne pondérée
WHMIS	Workplace Hazardous Materials Information System
NOTICE TO READER	All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Auto-Chem makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Auto-Chem's control and therefore users are responsible to verify this data under their own operation conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling and disposal of the product or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.